

**Kawasaki**  
**Mule 3010 Trans 4x4 Diesel**  
**Model year 2007**

**Parts list for Kit MCS2390**

<u>Item</u>	<u>Qty</u>	<u>Part Number</u>	<u>Description</u>
1	1	MCS 2390C	Computer
2	4		M4 x 10 pan head screws
3	4		4mm flat washers
4	4		M4 Nylok nuts
		<u>MCS 2392</u>	<u>Electric actuator assembly</u>
5	1	MCS 810	Electric actuator (throttle servo)
6	1	MCS 2392A	Actuator bracket
	3		M6 x 10 pan head screw
	3		6mm spring washer
7	2	F20018	M6 guard clip
8	2	W500	M6 x 16mm bolt and flat washer
9	1	MCSAC 850	Actuator cable
10		MCS 2391	Wiring loom
a			Computer plug (26 way)
b			Cruise control power fuse (5 amp)
c			Spray power control relay
d			Control switch plugs (6 and 3 way plugs)
e			Actuator plug (4 way plug)
f			Brake light switch plugs (2 way plugs)
g			Ground connector (black wires, connect to battery -ve)
h			Spray power fuse (10 amp)
i			Spray power connector (red wire, connect to battery +ve)
j			Speed sensor plug (3 way plug)
k			Neutral sensor terminal (green wire)
l			Spray power outlet terminals (yellow & black wires)
m			2 way socket for above with mounting tabs and 2 of 8g x 3/8" self tap screws
n			Brake load resistor plug (2 way plug) (models with LED brake lights)
11	1	MCS2391A	Wiring grommet
12	1	ATVSw MCS 221	Control switch assembly
13	2		8g x 3/8" pan head self tap screws
14	1	<u>MCS 2395</u>	<u>CIU assembly</u>
15	1	MCS 2395A	CIU body
16	1	MCS 003M	Actuator spool
17	1	MCS 2396	Engine cable spool
18	1	MCS 2396A	Throttle cable spool
19	1	MCS 003H	CIU pivot bush
20	1	MCS 003J	End cap
21	1	MCS 2395B	CIU mount bracket
22	1		M5 X 45 bolt (pivot bolt)
23	2		5mm flat washer
24	1		M5 Nyloc nut

25	1		M4 x 8 pan head screw (actuator cable retainer)
26	1	MCS 2397	Carburettor cable
27	2	MCS 054	Wire ring cable retainer
		<u>MCS 2394</u>	<u>Speed sensor assembly</u>
28	1	MCS 076	Speed sensor
29	6	MCS 076B-3mm	Sensor mounting shims
30	1	MCS 2394A	Speed sensor bracket
31	1		M6 x 35 bolt
32	2		6mm flat washer
33	1		M6 Nylok nut
34	1	WG10	Rubber grommet
		<u>MCS 2399</u>	<u>Tone Wheel assembly</u>
35	2	MCS 2399A	Tone wheel segment
36	1	Hose Clamp 10	Hose Clamp 13-27mm
37	2		M6 x 12 bolt
38	4		6mm flat washer
39	2		M6 Nylok nut
40	2		1/8" GP aluminium pop rivet, for 1.6~3.2mm thickness
41	4		1/8" flat washer
42	1	JD 046	Spray power plug
43	2	H 3555	Terminals for spray power plug
	10		150mm cable ties
	10		200mm cable ties
	6		300mm cable ties

Installation Instructions (including warranty sheet)  
Operating Instructions  
Trouble shooting guide

**Parts list drawing**

